

2/14/00

WYC:dk

EXPRESS MAIL LABEL NO. EL525676351US

Date of Deposit: February 10, 2000

PATENT

Attorney's Ref. No. 60109

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Box PATENT APPLICATION
TO THE ASSISTANT COMMISSIONER FOR PATENTS
Washington, D.C. 20231

Transmitted herewith for filing is the patent application of:

Inventor(s): Davis et al.

For: METHOD AND SYSTEM FOR FACILITATING ON-LINE SHOPPING

Enclosed are:

- ☒ 8 pages of specification, 2 pages of claims, an abstract and a Combined Declaration and Power of Attorney.
- ☒ 2 sheet(s) of formal drawings.
- ☒ Information Disclosure Statement and Form PTO-1449, with one reference.

For	Claims filed	FILING FEE			Rate	Basic Fee
		Number Allotted		Number Extra		
Total Claims	9	20	=	0	\$18.00	\$690.00
Independent Claims	4	1	=	1	\$78.00	\$78.00
TOTAL FILING FEE			=			\$768.00

- ☒ Please return the enclosed postcard to confirm that the items listed above have been received.

Respectfully submitted,

DIGIMARC CORPORATION

Date: February 10, 2000

Digimarc Corporation
19801 SW 72nd Avenue, Suite 250
Tualatin, OR 97062
Phone: 503-885-8699

By

William Y. Conwell
Registration No. 31,943

METHOD AND SYSTEM FOR FACILITATING ON-LINE SHOPPING

Field of the Invention

The present invention relates to on-line shopping, including the compilation of
5 “favorites” lists useful in such shopping.

Background and Summary of the Invention

On-line shopping is popular with certain technically adventurous segments of the public, but various drawbacks have prevented more widespread adoption.

10 Consider on-line grocery stores. These virtual storefronts offer an impressive inventory of choices, but have cumbersome user interfaces for product selection. A first-time shopper must typically type in the name of a product desired, e.g., Jif peanut butter. After entering this data, the user is presented with a menu of products that meet the search criteria (e.g., Jif Chunky, Jif Smooth, each in 4 ounce, 8 ounce, and 16-ounce
15 sizes), together with associated prices. The user then types data into a quantity box to indicate how many of each item is desired. The user must then repeat this process with each other item on the user’s shopping list. The overall experience is tedious and time consuming. This user interface hurdle causes many first-time users to give up in despair.

The situation is much improved for shoppers who stick with the process and
20 successfully make one or more on-line orders. Items previously purchased by such users are detailed in list (a “favorites list”) that is presented when the user next signs-on to the store, and can be reordered without the tedious typing-based navigation/selection process just-detailed.

In accordance with one embodiment of the present invention, the initial user-
25 interface hurdle to a satisfying shopping experience is overcome by permitting the user to compile a favorites list through shopping in one or more bricks-and-mortar stores. Whenever a customer passes through the checkout, the purchased items are added to a favorites list associated with that user. When the user shops on-line, a personalized shopping environment is presented, featuring the items previously purchased in the bricks
30 and mortar store(s).

In some embodiments, the store can perform statistical analyses of buying behavior over time and suggest grocery lists based on what it learns about patterns of buying behavior.

In still other embodiments, merchants can participate in a consortium that provides customers with a service that captures descriptions of goods purchased, at the customer's discretion, to facilitate replenishment of consumables of all kinds.

The foregoing and additional features and advantages of the present invention will be more readily apparent from the following detailed description, which proceeds with reference to the accompanying drawings.

Brief Description of the Drawings

Fig. 1 is a block diagram showing computers in one embodiment of the present invention.

Fig. 2 is a flow chart detailing aspects of a second embodiment of the present invention.

Fig. 3 is a block diagram showing computers used in the Fig. 2 embodiment.

Detailed Description

Referring to Fig. 1, in a first embodiment of the present invention a shopper identifies him- or herself to a checkout computer 14 at a bricks and mortar store (e.g., a supermarket). Identification can be used by an ID card, entry of an identifier on a keypad, or other means. (The checkout computer typically forms part of a larger distributed computing environment that also includes the store's inventory control system.)

As the shopper's goods are scanned for checkout, a favorites list corresponding to the shopper is updated with the purchased goods. The favorites list is typically stored in a database storage 15 remote from the checkout stand (which may or may not comprise a separate computer system, and may form part of an on-line storefront computer 22).

Several different stores – branches of a single stores, or unaffiliated stores – can pool data in a common database 15.

When the shopper thereafter shops on-line at a participating vendor through the on-line storefront computer 22, a list detailing all goods previously-purchased at the bricks and mortar store(s) is retrieved from storage 15 and presented to the user, permitting the on-line shopping experience to be enhanced, as detailed below.

5 Fig. 2 details a method used in a second embodiment – one in which product selection is accomplished without purchasing goods at checkout. In such embodiment, the shopper enters a bricks and mortar store and registers to use a selection device, such as a handheld scanner 10. (Registration can involve entering name, email address, and/or other identification information into a terminal. A user ID can be assigned if an ID for
10 that user does not already exist.)

Walking the aisles, the user quickly scans each item that may be of future interest. Each successful “read” of a product indicia is confirmed with an audio tone or a visible indication. A corresponding product ID (e.g., an SKU, or barcode identifier) is added to a list maintained for that user. After wandering the aisles for ten or 15 minutes, the user
15 has compiled a list of items that can be presented in a virtual store customized for that user. This arrangement permits a user to compile a large universe of products of potential interest to populate that user’s on-line personal store, without the requirement of purchasing them all.

In some embodiments, the scanner device 10 is a barcode reader (e.g., a laser pen
20 with associated decoder circuitry). Other arrangements can of course be used, e.g., an image capture device that captures images of the desired products (and may decode a watermark steganographically embedded within the image data), an RF ID sensor, etc.

Some scanner devices compile the product IDs in a memory within the unit, and download same to a central computer when the device is returned after use. Others relay
25 the product IDs by wireless to a central computer in real time, as the products are scanned.

In other embodiments, the selection device needn’t be an active device. Instead, for example, the user can have a passive barcode-encoded card that is presented to a shelf-mounted reader associated with each item. These readers are linked to the central
30 computer, and relay the identities of users who identify themselves as interested in the

corresponding product. Magnetic stripe cards, and readers, can similarly be employed. The cards may be issued by the store especially for this product selection purpose, or the system can be arranged to employ cards already in the user's possession (e.g., credit card, drivers license, etc.) In the latter case, customer registration upon entering the store can
5 include presenting the user's card to a registration terminal, so that it can be associated with that user when later presented during the user's walk of the aisles.

Hardware associated with the Fig. 2 method is shown in Fig. 3. The device 10 is coupled through a wireless interface 12 to a retail store registration computer 13. Product identifier data from the device 10 is stored into a memory 16, under control of a CPU 18.
10 The illustrated computer also includes a nest 20 for receiving product selection data from devices 10 that buffer same in an internal memory rather than radio-relaying same immediately.

The computer 22 for the online storefront is again shown in Fig. 3 and can be seen to include a net connection 24 (e.g., a T-1 or T-3 interface), a CPU (or CPUs) 26, a
15 memory 28, and disk storage 30. The computer is programmed in accordance with software instructions loaded into memory 28. This software includes operating system software (e.g., Windows NT, Sun Solaris, etc.), and applications software. The applications software includes web server software and database software for use in connection with database storage 15. Examples of the latter include Microsoft SQL
20 Server, Oracle 8, etc. Memory 28 also includes instructions defining a graphical interface through which a user interacts with the online store.

Database 15 can include a record for each user, stored in association with the user's ID. In some embodiments, each record comprises only product IDs. In other embodiments additional information may be included. Such other information may
25 include a category for each item (e.g., dairy, cookie/dessert, beverage), a textual description, etc. (In embodiments omitting this information from the database, the information may nonetheless be associated with the products through a separate database, using the product IDs as keys.) User profile information may also be included in each user's database record.

When a user visits an on-line store, the store system solicits a user ID. Once entered, the system recalls that user's list of favorites and populates the user's custom store accordingly. The user then identifies products to be purchased from this personalized universe of products. If the user consumer wants to purchase an item not in the inventory, the user can select a link to invoke one of the prior art universal product selection user interfaces, e.g., a text-based search, to obtain the desired product. Once all the desired items have been selected, the user indicates a preferred payment method, notes in-store pick-up or home delivery, and is done.

Having an inventory of items customized to the user enables various enhancements to be made to the user's shopping experience. For example, if a user enters an order devoid of any items in a "Dessert/cookie" category, the system can present a query that presents dessert/cookie items from that user's favorite list - as the order is being finalized - in case the omission was an oversight.

Such suggestion of purchases may be triggered only if the purchase meets one or more criteria. The criteria can include total purchase size (e.g., over \$75), time since last order (e.g., no cookies ordered for 30+ days), etc.

The on-line system can also track the user's purchase habits. If the user customarily orders 3 half gallons of skim milk every week, and a weekly order is entered without such an item, the system can query whether such item should be included before finalizing the order.

The user interface presented to the user in the on-line store can include buttons, links, or other UI controls permitting the user to obtain additional information on the items in the customized store. This additional information can include nutrition data, the same product in other packaging/size options, comparable products of different brands, product ratings, price comparison data, etc. (Price comparison data may be entered by the user to identify, e.g., the price at which such item has been purchased previously, or the price for which the item sells in the local, conventional, store.)

The present invention offers the possibility of hybrid stores, presenting the user a single on-line experience from which purchases can be made from disparate vendors. Grocery items may be provided through webvan.com; drugs can be provided through

planetrx.com; flowers can be provided through ftd.com, etc. The user's product preferences from each of these vendors can be combined and presented in a unified user interface from a single site. Orders can be dispatched by the on-line system to each of the vendors whose products are specified. Each vendor can fulfill their part of the order independently, or a consolidated distribution system can be employed (e.g., a distribution center shared by several vendors), permitting the inventory to be pulled, and the order fulfilled, in a single delivery.

In other embodiments, a user's "favorites list" of products can be mapped to several different on-line retailers so as to optimize pricing. Thus, for example, a user may summon his or her personalized on-line store, and select from it 5 different items. The web server 22 can price each of the items from several different vendors – either transparently to the user or not. Further considering delivery or other charges, the system can tailor one or more vendor orders so as to procure all of the desired orders at the lowest net price. (In some cases, an item might be ordered from a higher-priced vendor if the applicable delivery charge yields a lower total price.)

Having described and illustrated the principles of our invention with reference to specific embodiments, it will be recognized that the principles thereof can be implemented in other, different, forms.

For example, while the detailed embodiments employ two or more distinct computer systems – one for data collection in the bricks and mortar facility, another for the online storefront, these functions can be consolidated in a single computer.

Similarly, while the detailed embodiment contemplated an on-line store employing a graphical user interface, in other embodiments interfaces employing voice recognition, gestures, and other technologies can naturally be used.

The detailed embodiment contemplated that a conventional supermarket would serve as the facility in which user selection of items for their customized store is conducted. In other embodiments, much smaller facilities can be employed. For example, a storefront (e.g., in a mall) can be stocked with one sample of each item in a supermarket's inventory. Such a storefront can employ product placement conventions that are familiar to shoppers (e.g., grouping baking supplies located together; placing

peanut butter next to jelly, ketchup next to mustard, etc.), rather than the unfamiliar paradigms (e.g., alpha or “category” groupings) commonly employed in on-line systems. Without stocking inventory for sale, the storefront can be much smaller, while still permitting the user to pick and up read packaging in the familiar manner.

5 Moreover, it is not necessary that a user visit a store to scan the items desired in the user’s customized store inventory. Instead, samples of the items in the user’s residence can be used as the basis for such an inventory. Data from such items can be entered into a user computer by various means, including typing the barcode identifier, scanning with a laser pen, imaging with a web cam, etc.

10 In still other embodiments, the on-line store can display to a shopper a virtual shopping aisle featuring graphical – rather than strictly textual – representations of items for sale. Thus, a box of Ritz crackers can be represented by the familiar red box, or by the familiar logo, or both. Items of potential interest to a shopper (and/or on-sale items) are presented more prominently (e.g., larger, more brightly, etc.) than other items. The
15 items of potential interest can be determined by reference to the shopper’s prior shopping history. The shopper can navigate the aisle using conventional virtual reality (e.g., 3D) navigation techniques. For efficiency sake, the graphical rendering engine and related models can be run on the shopper’s computer (i.e., the “client”) rather than on the server computer. Known Internet push or pull technology can be used to update the item data, if
20 desired.

 While the detailed embodiment contemplates systems dedicated to shopping, in other implementations the shopping attributes can be a subset of a larger group of a system’s features. For example, the present assignee’s MediaBridge technology (detailed, e.g., in application 09/343,104, filed 6/29/99, incorporated herein by reference)
25 foreshadows the day in which visual- and other computer interfaces are ubiquitous. Each item seen by a computer has an identity that can be discerned by the computer (e.g., by barcodes, digital watermarks, RF IDs, etc.). Internet-like linking based on the discerned identities of the perceived items establishes connections with remote resources that provide information or services related to (or simply triggered by) the system’s encounter
30 with a physical object. In such systems, objects identified as groceries or the like by the

system can be automatically logged (locally or remotely) in a grocery favorites list, or otherwise using a “store” metaphor, facilitating efficient online (or offline) shopping in general.

While the detailed description particularly considered purchasing grocery items, the same techniques are naturally applicable in all manner of retail sales.

Naturally, features and details described in connection with the first embodiment (compiling the list at checkout) can be employed in connection with the second embodiment (compiling the list without purchasing), and vice versa. Similarly, while the detailed embodiments collected information from a shopper’s encounters with physical objects, and used them to enhance an on-line shopping experience, the converse can naturally be practiced. That is, information collected during on-line shopping sessions (e.g., product preferences, shopping habits) can be used thereafter in a bricks and mortar facility to enhance the shopper’s experience there.

While the detailed embodiment contemplated central storage of product lists for several users in a single database, in other arrangements each user’s list may be stored in that user’s computer. (The list can be relayed from the bricks and mortar storefront to the user’s computer by the internet or otherwise.) The application that presents the shopping experience can still be a remote server – that loads the product list from local storage on the user’s computer and uses same in presenting the virtual storefront to the user – or the application can execute on the user’s computer.

While the detailed arrangement particularly considered an arrangement in which the user’s favorites list is compiled through physical interaction with products, other inventive aspects of the detailed technology can be practiced with favorites lists compiled otherwise (e.g., through prior art, prior ordering experience).

In view of the wide variety of embodiments to which the principles of our invention can be applied, it should be recognized that the detailed embodiment is illustrative only and should not be taken as limiting the scope of the invention. Rather, we claim as our invention all such embodiments as may come within the scope and spirit of the following claims, and equivalents thereto.

WE CLAIM

1. A method comprising:

presenting a collection of retail items, each having an indicia associated therewith,
in a bricks and mortar store offering items for sale;

5 sensing the indicia associated with selected ones of said items;

compiling a list identifying the items whose indicia were sensed;

storing said list in a data structure associated with a user; and

later recalling said list;

using said recalled list to present a customized selection of items in an on-line

10 shopping environment; and

receiving input from a user identifying a subset of items from said customized
selection of items.

2. The method of claim 1 in which the sensing comprises scanning at a checkout

15 stand of said store.

3. A method of conducting an online shopping session comprising:

identifying a user by reference to a login identifier;

recalling a list of products associated with the user;

20 presenting products from said list to the user for selection;

receiving user selections of products to be purchased;

receiving an indication that the user is finished selecting products; and

thereafter querying the user regarding possible purchase of an item not selected by
the user but on said recalled list, before completing the online shopping session.

25

4. A computer storage medium having instructions thereon causing a computer to
perform the process of claim 3.

5. The method of claim 3 which includes selecting said item in accordance with a procedure that depends, in part, on the passage of a predetermined interval of time without the user selecting said item for purchase.

5 6. The method of claim 3 that includes selecting said item only if the total price of items selected by the user meets a pre-determined criterion.

7. A method comprising:
logging a shopper's habits or preferences exhibited in an on-line shopping
10 environment in one or more database records associated with that shopper; and
recalling said logged database record in a bricks and mortar store and using the
logged information in connection with bricks and mortar shopping by said user.

8. In an on-line shopping method, an improvement comprising displaying a
15 virtual shopping aisle with graphical – rather than strictly textual – representations of
items for sale, wherein items of potential interest to a shopper are presented more
prominently than other items.

9. The method of claim 8 that includes identifying items of potential interest by
20 reference to the shopper's prior shopping history.

METHOD AND SYSTEM FOR FACILITATING ON-LINE SHOPPING

Abstract of the Disclosure

A shopper is presented with a customized online store whose inventory is defined by the shopper. In one embodiment, specification of the inventory is conducted in a bricks and mortar store - either during checkout, or by the shopper walking the aisles and scanning items with a barcode scanner pen or the like. The inventory may be defined – at least in part – by scanning items in the shopper’s home. A variety of other novel features useful in on-line shopping are also disclosed.




FIG. 1




FIG. 2




FIG. 3

COMBINED DECLARATION AND POWER OF ATTORNEY FOR PATENT APPLICATION

As a below named inventor, I hereby declare that:

My residence, post office address and citizenship are as stated below next to my name,

I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled METHOD AND SYSTEM FOR FACILITATING ON-LINE SHOPPING, the specification of which

☒ is attached hereto.

☐ was filed on _____ as Application No. _____.

☐ was described and claimed in PCT International Application No. _____, filed on _____, and as amended under PCT Article 19 on _____ (if applicable).

☐ and was amended on _____ (if applicable).

☐ with amendments through _____ (if applicable).

I hereby state that I have reviewed and understand the contents of the above-identified specification, including the claims, as amended by any amendment referred to above.

I acknowledge the duty to disclose information which is material to patentability as defined in Title 37, Code of Federal Regulations, § 1.56. If this is a continuation-in-part application filed under the conditions specified in 35 U.S.C. § 120 which discloses and claims subject matter in addition to that disclosed in the prior copending application, I further acknowledge the duty to disclose material information as defined in 37 CFR § 1.56 which occurred between the filing date of the prior application and the national or PCT international filing date of the continuation-in-part application.

I hereby claim foreign priority benefits under Title 35, United States Code, § 119(a)-(d) of any foreign application(s) for patent or inventor's certificate or of any PCT International application(s) designating at least one country other than the United States of America listed below and have also identified below any foreign application(s) for patent or inventor's certificate or any PCT International application(s) designating at least one country other than the United States of America filed by me on the same subject matter having a filing date before that of the application(s) on which priority is claimed:

Prior Foreign Application(s)

Priority
Claimed

_____ (Number)	_____ (Country)	_____ (Day/Month/Year Filed)	<input type="checkbox"/> Yes	<input type="checkbox"/> No
-------------------	--------------------	---------------------------------	---------------------------------	--------------------------------

I hereby claim the benefit under Title 35, United States Code, § 119(e) of any United States provisional application(s) listed below:

Application Number	Filing Date
--------------------	-------------

I hereby claim the benefit under Title 35, United States Code, § 120 of any United States application(s) or § 365(c) of any PCT International application(s) designating the United States, listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States or PCT International application in the manner provided by the first paragraph of Title 35, United States Code, § 112, I acknowledge the duty to disclose material information as defined in Title 37, Code of Federal Regulations, § 1.56(a) which occurred between the filing date of the prior application and the national or PCT International filing date of this application:

(Application No.)	(Filing Date)	(Status: patented, Pending, abandoned)
-------------------	---------------	---

The undersigned hereby authorizes the U.S. attorney or agent named herein to accept and follow instructions from _____ as to any action to be taken in the Patent and Trademark Office regarding this application without direct communication between the U.S. attorney or agent and the undersigned. In the event of a change in the persons from whom instructions may be taken, the U.S. attorney or agent named herein will be so notified by the undersigned.

I hereby appoint the following attorney(s) and/or agent(s) to prosecute this application, to file a corresponding international application, and to transact all business in the Patent and Trademark Office connected therewith:

William Y. Conwell	Reg. No. 31,943
Joel R. Meyer	Reg. No. 37,677
Thomas M. Horgan	Reg. No. 33,183
Elmer Galbi	Reg. No. 19,761

Address all telephone calls to William Y. Conwell at telephone number (503) 968-0443.
Address all correspondence to:

William Y. Conwell
Digimarc Corporation
19801 SW 72nd Avenue, Suite 250
Tualatin, OR 97062

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

Full Name of Sole or first Inventor: Bruce L. Davis

Inventor's Signature _____

Date

Residence: Lake Oswego, Oregon

Citizenship: USA

Post Office Address: 15599 Village Drive, Lake Oswego, OR 97034

Full Name of Second Joint Inventor: William Y. Conwell

Inventor's Signature _____

Date

Residence: Portland, Oregon

Citizenship: USA

Post Office Address: 6224 SW Tower Way, Portland, OR 97221

Full Name of Third Joint Inventor, if any: Joel R. Meyer

Inventor's Signature _____

Date

Residence: Portland, Oregon

Citizenship: USA

Post Office Address: 2742 SW Leah Court, Portland, OR 97219